

Connected in quality.

MEGAPRESS[®]

PRESS FITTINGS

**KEEP PROJECTS
ON TIME**
WITH VIEGA[®] PRESS TECHNOLOGY



MEGAPRESS®

CARBON STEEL PRESS FITTINGS

SEALING ELEMENT: EPDM


OPERATING TEMPERATURE: 0°F TO 250°F

PRESSURE: 200PSI

SCH: 5 - 40

SIZE: ½" - 2"

Ideal for facility utility needs, the Viega MegaPress system is easy to use, flameless, and reliable. Most often used for natural gas, hydronics, and compressed air, MegaPress leaves no joining material buildup, exposed threads or tarnish, creating a clean, professional appearance.



MEGAPRESS® G

CARBON STEEL PRESS FITTINGS

SEALING ELEMENT: HNBR

OPERATING TEMPERATURE: -40°F TO 180°F

PRESSURE: 125PSI

SCH: 10 - 40

SIZE: ½" - 4"

Viega MegaPressG fittings are a safe and fast way to connect gas pipe. MegaPressG press fittings and valves are easy to install, saving you time and labor, and are compatible with a wide range of approved applications, including natural gas and propane.



MEGAPRESS® FKM

CARBON STEEL PRESS FITTINGS

SEALING ELEMENT: FKM

OPERATING TEMPERATURE: 14°F TO 284°F

PRESSURE: 200PSI

SCH: 5 - 40

SIZE: ½" - 4"

Viega MegaPress FKM is a secure and efficient choice for joining ½" to 4" carbon steel pipe with an FKM sealing element. Meticulously engineered, it is suitable for renovations, repairs or installation on new carbon steel pipe systems.



MEGAPRESS® 304 FKM

304 STAINLESS STEEL PRESS FITTINGS

SEALING ELEMENT: FKM

OPERATING TEMPERATURE: 14°F TO 284°F

PRESSURE: 200PSI

SCH: 5 - 40

SIZE: ½" - 4"

Viega MegaPress 304 FKM fittings are the industry's first stainless steel press fittings for Schedule 5 to 40 piping systems. MegaPress 304 with an FKM sealing element is suitable for chemical and higher-temperature applications.



MEGAPRESS® 316

316 STAINLESS STEEL PRESS FITTINGS

SEALING ELEMENTS: EPDM, FKM*

OPERATING TEMPERATURE: 0°F TO 284°F

PRESSURE: 200PSI

SCH: 5 - 40

SIZE: ½" - 4"

Designed for Iron Pipe Size (IPS) stainless steel, Viega MegaPress 316 stainless steel press fittings support more applications than ever before. From potable water to acid and cleaning agents, Viega MegaPress 316 stands up to the toughest jobs while keeping its appearance clean.

* FKM Sealing element available. Operating Temperature for MegaPress : 14°F to 284°F



MEGAPRESS® CuNi

COPPER-NICKEL PRESS FITTINGS

SEALING ELEMENT: FKM

OPERATING TEMPERATURE: 23°F TO 284°F

PRESSURE: 200PSI

SIZE: ½" - 4"

Now with NAVSEA approval, Viega MegaPress CuNi system is a 90:10 copper-nickel alloy that is specifically designed for marine and industrial pipe joining applications to stand up to the harsh environments of the sea. The MegaPress CuNi system is approved for a variety of applications and provides an economical and reliable installation of Class 200 and Schedule 40 copper-nickel pipe.



VIEGA VALVES

COMPLETE THE SYSTEM



SAFER

Flameless connections eliminate the need for hot work permits and fire watch. Without open flames, other trades can work simultaneously and safely.



EASIER

The three-piece body enables quick, simple repair and maintenance without having to replace the entire valve.



BIGGER

Viega MegaPress ball valves are the first of their kind to be available up to 4"!



SMARTER

Viega valves come equipped with Smart Connect technology to help you quickly identify unpressed connections.



SCAN
WITH PHONE
TO LISTEN



*...how do you make guys
lives easier, well get the right
equipment. And if we can
do that by using Viega
...then we're all about that.*

– Mike Caruso, A.C. Plumbing



This document is subject to updates. For the most current Viega literature please visit www.viega.us The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty. ©2025, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.

V
01921_EN_1025

Viega North America
585 Interlocken Blvd.
Broomfield, CO 80021
USA

Phone (800) 976-9819

viega.us



SCAN
WITH PHONE
TO LEARN MORE

viega