



*This Part requires two clamps, part numbers 116-300 & 140-300.
See additional drawings for information on these clamps.

| | |
|---------------------|------------------------------|
| Part Weight | 2.66 lbs. |
| Min/Max Temp. | -30/140 Degrees F |
| Pressure Tested | 4.3 PSI |
| Material | Flexible PVC 60 Duro Shore A |
| Installation Torque | 60" Lbs. |
| Conforms to ASTM | D5926, C1173 |
| Box Quantity | 20 |
| Clamps used | 300 Series |

TOLERANCES:
.X= Fractional ±
.XX= ±.060
.XXX= ±.032
ANG.= ±0.5°
UNLESS OTHERWISE SPECIFIED

| | |
|--|-----------------|
| DESCRIPTION: | |
| Coupling 6" Concrete x 6" Plastic/CI | |
| 1006-66 | |
| UNITS: | DESIGNER: |
| INCHES | D. Brady |
| SIZE: | CHECKER: |
| A | DATE: 3/17/2009 |
| 3RD ANGLE PROJECTION DO NOT SCALE DRAWING | SHEET 1 OF 1 |

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FERNCO, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FERNCO, INC. IS PROHIBITED.