

Count	Description
-------	-------------

1	MI 301
---	--------



Product photo could vary from the actual product

Product No.: [98046408](#)

The Grundfos GO Remote is used to establish wireless connection to a Grundfos product, using a standard Android or iOS platform, with the Grundfos GO Remote App installed. The App is available from Apple App Store and Google Play free of charge.

The MI 301 is a module with built-in infrared and radio communication. It must be used in conjunction with an Android or iOS-based Smartphone with Bluetooth connection. The MI 301 module has rechargeable Li-ion battery and must be charged separately.

The pump/system can be monitored and controlled from the Grundfos GO, and it will be possible to create pdf reports. The specific functions available depend on each individual product.

Supplied with the product

- Grundfos MI 301
- Battery charger
- Quickguide

Installation:

Range of ambient temperature: -4 .. 158 °F

Relative humidity: 95 %

Electrical data:

Maximum current consumption: 0.03 A

Enclosure class (IEC 34-5): IP40

Others:

Danish VVS No.: 380679301

Swedish RSK No.: 5731821

Finnish LVI No.: 4615956

Norwegian NRF no.: 9040866

Country of origin: TH

Custom tariff no.: 8534.00.0085

Description	Value
<b>General information:</b>	
Product name:	MI 301
Product No.:	98046408
EAN:	5710628055591
<b>Installation:</b>	
Range of ambient temperature:	-4 .. 158 °F
Relative humidity:	95 %
Operating temp.:	14 °F
Operating temp.:	122 °F
<b>Electrical data:</b>	
Voltage supply:	Li-ion battery 3.7 V, 560 mAh, 2.1 Wh
Maximum current consumption:	0.03 A
Enclosure class (IEC 34-5):	IP40
<b>Others:</b>	
Danish VVS No.:	380679301
Swedish RSK No.:	5731821
Finnish LVI No.:	4615956
Norwegian NRF no.:	9040866
Country of origin:	TH
Custom tariff no.:	8534.00.0085

98046408 MI 301

