

MALLEABLE FITTINGS

SPECIFICATION SHEET

150LB STANDARD SPECIFICATIONS

- **Material:** Conforms to ASTM A 197 (CUPOLA)
- **Dimensions:** Conforms to ANSI B 16.3, B 16.4, B 16.39 & SI 225
- **Union Dimensions:** Conforms to ASME B 16.39
- **Threads:** Conforms to ANSI / ASME B 1.20, BS 21
- **Class:** 150 P.S.I.
- **Tensile Strength:** 28.4 kg/mm. (Minimum)
- **Elongation:** 5% Minimum
- **Zinc Coating:** SI 918, Conforms to ASTM A 153
- **Working Pressure:** 10kg/cm (150 P.S.I.) at 350°F
- **Available:** 1/8" through 6"
- **Approvals:** Third Party Approved



300LB STANDARD SPECIFICATIONS

- **Material:** Conforms to ASTM A 197 (CUPOLA)
- **Dimensions:** Conforms to ANSI B 16.3, B 16.4, B 16.39 & SI 225
- **Union Dimensions:** Conforms to ASME B 16.39
- **Threads:** Conforms to ANSI / ASME B 1.20, BS 21
- **Class:** 300 P.S.I.
- **Tensile Strength:** 28.4 kg/mm. (Minimum)
- **Elongation:** 5% Minimum
- **Zinc Coating:** SI 918, Conforms to ASTM A 153
- **Working Pressure:** 10 kg/cm (300 P.S.I.) at 550°F
- **Approvals:** Third Party Approved



150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000



ELBOWS 90°



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/8"	BMNL0018	GMNL0018	50	600
1/4"	BMNL0014	GMNL0014	35	420
3/8"	BMNL0038	GMNL0038	90	360
1/2"	BMNL0012	GMNL0012	50	200
3/4"	BMNL0034	GMNL0034	35	105
1"	BMNL0100	GMNL0100	20	60
1-1/4"	BMNL0114	GMNL0114	20	40
1-1/2"	BMNL0112	GMNL0112	15	30
2"	BMNL0200	GMNL0200	8	16
2-1/2"	BMNL0212	GMNL0212	1	12
3"	BMNL0300	GMNL0300	1	8
4"	BMNL0400	GMNL0400	1	2
5"	BMNL0500	GMNL0500	1	2
6"	BMNL0600	GMNL0600	1	1



ELBOWS 45°



1/8"	BMFF0018	GMFF0018	50	600
1/4"	BMFF0014	GMFF0014	30	360
3/8"	BMFF0038	GMFF0038	75	300
1/2"	BMFF0012	GMFF0012	50	200
3/4"	BMFF0034	GMFF0034	40	120
1"	BMFF0100	GMFF0100	20	60
1-1/4"	BMFF0114	GMFF0114	20	40
1-1/2"	BMFF0112	GMFF0112	10	30
2"	BMFF0200	GMFF0200	12	24
2-1/2"	BMFF0212	GMFF0212	1	12
3"	BMFF0300	GMFF0300	1	10
4"	BMFF0400	GMFF0400	2	4
5"	BMFF0500	GMFF0500	1	2
6"	BMFF0600	GMFF0600	1	1

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
 • ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000



STREET ELBOW 90°



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/8"	BMSN0018	GMSN0018	60	720
1/4"	BMSN0014	GMSN0014	35	420
3/8"	BMSN0038	GMSN0038	60	240
1/2"	BMSN0012	GMSN0012	60	180
3/4"	BMSN0034	GMSN0034	35	105
3/4" x 1/2"	BMSN3412	-	-	-
1"	BMSN0100	GMSN0100	45	90
1-1/4"	BMSN0114	GMSN0114	25	50
1-1/2"	BMSN0112	GMSN0112	9	27
2"	BMSN0200	GMSN0200	8	16
2-1/2"	BMSN0212	GMSN0212	5	10
3"	BMSN0300	GMSN0300	1	8
4"	BMSN0400	GMSN0400	1	4
6"	BMSN0600	GMSN0600	1	1



STREET ELBOW 45°



1/8"	BMSF0018	GMSF0018	70	840
1/4"	BMSF0014	GMSF0014	40	480
3/8"	BMSF0038	GMSF0038	100	400
1/2"	BMSF0012	GMSF0012	75	225
3/4"	BMSF0034	GMSF0034	40	120
1"	BMSF0100	GMSF0100	25	75
1-1/4"	BMSF0114	GMSF0114	10	40
1-1/2"	BMSF0112	GMSF0112	10	30
2"	BMSF0200	GMSF0200	12	24
2-1/2"	BMSF0212	GMSF0212	6	12
3"	BMSF0300	GMSF0300	3	6
4"	BMSF0400	GMSF0400	1	4



REDUCING ELBOW 90°



1/4" x 1/8"	BMRL0140	GMRL0140	40	480
3/8" x 1/8"	BMRL0380	GMRL0380	105	420
3/8" x 1/4"	BMRL0381	GMRL0381	90	360
1/2" x 1/8"	BMRL0120	GMRL0120	60	240
1/2" x 1/4"	BMRL0121	GMRL0121	60	240
1/2" x 3/8"	BMRL0122	GMRL0122	60	240

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000



REDUCING ELBOWS 90° - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
3/4" x 1/8"	BMRL0340	GMRL0340	40	160
3/4" x 1/4"	BMRL0341	GMRL0341	40	160
3/4" x 3/8"	BMRL0342	GMRL0342	40	160
3/4" x 1/2"	BMRL0343	GMRL0343	40	160
1" x 1/4"	BMRL1000	GMRL1000	25	100
1" x 3/8"	BMRL1001	GMRL1001	25	100
1" x 1/2"	BMRL1002	GMRL1002	25	100
1" x 3/4"	BMRL1003	GMRL1003	50	100
1-1/4" x 1/2"	BMRL1140	GMRL1140	20	80
1-1/4" x 3/4"	BMRL1141	GMRL1141	15	60
1-1/4" x 1"	BMRL1142	GMRL1142	10	40
1-1/2" x 1/2"	BMRL1120	GMRL1120	15	60
1-1/2" x 3/4"	BMRL1121	GMRL1121	10	40
1-1/2" x 1"	BMRL1122	GMRL1122	10	40
1-1/2" x 1-1/4"	BMRL1123	GMRL1123	15	30
2" x 1/2"	BMRL2000	GMRL2000	10	40
2" x 3/4"	BMRL2001	GMRL2001	9	36
2" x 1"	BMRL2002	GMRL2002	14	28
2" x 1-1/4"	BMRL2003	GMRL2003	10	20
2" x 1-1/2"	BMRL2004	GMRL2004	10	20
2-1/2" x 1/2"	BMRL2120	GMRL2120	8	16
2-1/2" x 3/4"	BMRL2121	GMRL2121	8	16
2-1/2" x 1"	BMRL2122	GMRL2122	8	16
2-1/2" x 1-1/4"	BMRL2123	GMRL2123	8	16
2-1/2" x 1-1/2"	BMRL2124	GMRL2124	6	12
2-1/2" x 2"	BMRL2125	GMRL2125	6	12
3" x 1-1/2"	BMRL3000	GMRL3000	4	8
3" x 2"	BMRL3001	GMRL3001	4	8
3" x 2-1/2"	BMRL3002	GMRL3002	4	8
4" x 2"	BMRL4000	GMRL4000	2	4
4" x 2-1/2"	BMRL4001	GMRL4001	1	2
4" x 3"	BMRL4002	GMRL4002	1	2

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
 • ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

TEE



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/8"	BMTE0018	GMTE0018	120	480
1/4"	BMTE0014	GMTE0014	75	300
3/8"	BMTE0038	GMTE0038	45	180
1/2"	BMTE0012	GMTE0012	40	120
3/4"	BMTE0034	GMTE0034	35	70
1"	BMTE0100	GMTE0100	20	40
1-1/4"	BMTE0114	GMTE0114	14	28
1-1/2"	BMTE0112	GMTE0112	12	24
2"	BMTE0200	GMTE0200	8	16
2-1/2"	BMTE0212	GMTE0212	4	8
3"	BMTE0300	GMTE0300	6	6
4"	BMTE0400	GMTE0400	1	2
5"	BMTE0500	GMTE0500	1	2
6"	BMTE0600	GMTE0600	1	1

REDUCING TEE 2 SIZES



1/4" x 1/8"	BMRT0140	GMRT0140	25	300
3/8" x 1/8"	BMRT0380	GMRT0380	90	360
3/8" x 1/4"	BMRT0381	GMRT0381	60	240
1/2" x 1/8"	BMRT0120	GMRT0120	40	160
1/2" x 1/4"	BMRT0121	GMRT0121	40	160
1/2" x 3/8"	BMRT0122	GMRT0122	40	160
3/4" x 1/4"	BMRT0340	GMRT0340	25	100
3/4" x 3/8"	BMRT0341	GMRT0341	25	100
3/4" x 1/2"	BMRT0342	GMRT0342	20	80
1" x 1/4"	BMRT1000	GMRT1000	20	80
1" x 3/8"	BMRT1001	GMRT1001	15	60
1" x 1/2"	BMRT1002	GMRT1002	15	60
1" x 3/4"	BMRT1009	GMRT1009	12	48
1-1/4" x 3/8"	BMRT1400	GMRT1400	20	40
1-1/4" x 1/2"	BMRT1401	GMRT1401	20	40
1-1/4" x 3/4"	BMRT1402	GMRT1402	20	40
1-1/4" x 1"	BMRT1403	GMRT1403	20	40
1-1/2" x 3/8"	BMRT1200	GMRT1200	18	36

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

MALLEABLE FITTINGS

REDUCING TEE 2 SIZES - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
1-1/2" x 1/2"	BMRT1201	GMRT1201	18	36
1-1/2" x 3/4"	BMRT1202	GMRT1202	15	30
1-1/2" x 1"	BMRT1203	GMRT1203	10	30
1-1/2" x 1-1/4"	BMRT1204	GMRT1204	12	24
2" x 3/8"	BMRT2000	GMRT2000	10	20
2" x 1/2"	BMRT2001	GMRT2001	10	20
2" x 3/4"	BMRT2002	GMRT2002	10	20
2" x 1"	BMRT2003	GMRT2003	10	20
2" x 1-1/4"	BMRT2004	GMRT2004	8	16
2" x 1-1/2"	BMRT2005	GMRT2005	8	16
2-1/2" x 1/2"	BMRT2120	GMRT2120	6	12
2-1/2" x 3/4"	BMRT2121	GMRT2121	6	12
2-1/2" x 1"	BMRT2122	GMRT2122	5	10
2-1/2" x 1-1/4"	BMRT2123	GMRT2123	5	10
2-1/2" x 1-1/2"	BMRT2124	GMRT2124	5	10
2-1/2" x 2"	BMRT2125	GMRT2125	4	8
3" x 1/2"	BMRT3000	GMRT3000	3	6
3" x 3/4"	BMRT3001	GMRT3001	3	6
3" x 1"	BMRT3002	GMRT3002	3	6
3" x 1-1/4"	BMRT3003	GMRT3003	3	6
3" x 1-1/2"	BMRT3004	GMRT3004	3	6
3" x 2"	BMRT3005	GMRT3005	3	6
3" x 2-1/2"	BMRT3006	GMRT3006	3	6
4" x 1"	BMRT4000	GMRT4000	1	3
4" x 1-1/4"	BMRT4001	GMRT4001	1	3
4" x 1-1/2"	BMRT4002	GMRT4002	1	3
4" x 2"	BMRT4003	GMRT4003	1	3
4" x 2-1/2"	BMRT4004	GMRT4004	1	3
4" x 3"	BMRT4005	GMRT4005	1	2

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
 • ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

REDUCING TEE 3 SIZES



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/2" x 1/4" x 1/2"	BMRT0347	-	40	160
3/4" x 3/8" x 3/4"	BMRT0343	GMRT0343	1	2
3/4" x 1/2" x 1/2"	BMRT0344	GMRT0344	25	100
3/4" x 1/2" x 3/4"	BMRT0345	GMRT0345	20	80
3/4" x 1/2" x 1"	BMRT0346	GMRT0346	18	72
1" x 1/2" x 1/2"	BMRT1003	GMRT1003	20	80
1" x 1/2" x 3/4"	BMRT1004	GMRT1004	20	80
1" x 1/2" x 1"	BMRT1005	GMRT1005	15	60
1" x 3/4" x 1/2"	BMRT1006	GMRT1006	20	80
1" x 3/4" x 3/4"	BMRT1007	GMRT1007	15	60
1" x 3/4" x 1"	BMRT1008	GMRT1008	30	60
1-1/4" x 1/2" x 1/2"	BMRT1404	GMRT1404	25	50
1-1/4" x 1/2" x 3/4"	BMRT1405	GMRT1405	25	50
1-1/4" x 1/2" x 1"	BMRT1406	GMRT1406	20	40
1-1/4" x 1/2" x 1-1/4"	BMRT1407	GMRT1407	20	40
1-1/4" x 3/4" x 1/2"	BMRT1408	GMRT1408	10	40
1-1/4" x 3/4" x 3/4"	BMRT1409	GMRT1409	10	40
1-1/4" x 3/4" x 1"	BMRT1410	GMRT1410	10	40
1-1/4" x 3/4" x 1-1/4"	BMRT1411	GMRT1411	20	40
1-1/4" x 1" x 1/2"	BMRT1412	GMRT1412	20	40
1-1/4" x 1" x 3/4"	BMRT1413	GMRT1413	20	40
1-1/4" x 1" x 1"	BMRT1414	GMRT1414	20	40
1-1/4" x 1" x 1-1/4"	BMRT1415	GMRT1415	15	30
1-1/4" x 1" x 1-1/2"	BMRT1416	GMRT1416	15	30
1-1/2" x 1/2" x 3/4"	BMRT1205	GMRT1205	12	48
1-1/2" x 1/2" x 1"	BMRT1206	GMRT1206	18	36
1-1/2" x 1/2" x 1-1/4"	BMRT1207	GMRT1207	12	24
1-1/2" x 1/2" x 1-1/2"	BMRT1208	GMRT1208	12	24
1-1/2" x 3/4" x 1/2"	BMRT1209	GMRT1209	15	30
1-1/2" x 3/4" x 3/4"	BMRT1210	GMRT1210	15	30
1-1/2" x 3/4" x 1"	BMRT1211	GMRT1211	12	24

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

MALLEABLE FITTINGS

REDUCING TEE 3 SIZES - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
1-1/2" x 3/4" x 1-1/4"	BMRT1212	GMRT1212	12	24
1-1/2" x 3/4" x 1-1/2"	BMRT1213	GMRT1213	12	24
1-1/2" x 1" x 1/2"	BMRT1214	GMRT1214	15	30
1-1/2" x 1" x 3/4"	BMRT1215	GMRT1215	15	30
1-1/2" x 1" x 1"	BMRT1216	GMRT1216	15	30
1-1/2" x 1" x 1-1/4"	BMRT1217	GMRT1217	12	24
1-1/2" x 1" x 1-1/2"	BMRT1218	GMRT1218	12	24
1-1/2" x 1-1/4" x 1/2"	BMRT1219	GMRT1219	12	24
1-1/2" x 1-1/4" x 3/4"	BMRT1220	GMRT1220	12	24
1-1/2" x 1-1/4" x 1"	BMRT1221	GMRT1221	12	24
1-1/2" x 1-1/4" x 1-1/4"	BMRT1222	GMRT1222	12	24
1-1/2" x 1-1/4" x 1-1/2"	BMRT1223	GMRT1223	12	24
1-1/2" x 1-1/4" x 2"	BMRT1224	GMRT1224	12	24
2" x 1/2" x 2"	BMRT2006	GMRT2006	8	16
2" x 3/4" x 3/4"	BMRT2007	GMRT2007	12	24
2" x 3/4" x 2"	BMRT2008	GMRT2008	8	16
2" x 1" x 1"	BMRT2009	GMRT2009	12	24
2" x 1" x 1-1/2"	BMRT2010	GMRT2010	10	20
2" x 1" x 2"	BMRT2011	GMRT2011	8	16
2" x 1-1/4" x 1"	BMRT2012	GMRT2012	8	16
2" x 1-1/4" x 1-1/4"	BMRT2013	GMRT2013	8	16
2" x 1-1/4" x 1-1/2"	BMRT2014	GMRT2014	8	16
2" x 1-1/4" x 2"	BMRT2015	GMRT2015	8	16
2" x 1-1/2" x 3/4"	BMRT2016	GMRT2016	10	20
2" x 1-1/2" x 1"	BMRT2017	GMRT2017	10	20
2" x 1-1/2" x 1-1/4"	BMRT2018	GMRT2018	8	16
2" x 1-1/2" x 1-1/2"	BMRT2019	GMRT2019	8	16
2" x 1-1/2" x 2"	BMRT2020	GMRT2020	8	16
2-1/2" x 1-1/2" x 2-1/2"	BMRT2126	GMRT2126	4	8
2-1/2" x 2" x 2"	BMRT2127	GMRT2127	4	8
2-1/2" x 2" x 2-1/2"	BMRT2128	GMRT2128	4	8

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
 • ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

BULL HEAD TEE



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/2" x 1/2" x 3/4"	BMBT0120	GMBT0120	30	120
1/2" x 1/2" x 1"	BMBT0121	GMBT0121	25	100
3/4" x 3/4" x 1"	BMBT0340	GMBT0340	40	80
3/4" x 3/4" x 1-1/4"	BMBT0341	GMBT0341	40	80
1" x 1" x 1-1/4"	BMBT1000	GMBT1000	11	44
1" x 1" x 1-1/2"	BMBT1001	GMBT1001	9	36
1" x 1" x 2"	BMBT1002	GMBT1002	12	24
1-1/4" x 1-1/4" x 1-1/2"	BMBT1400	GMBT1400	12	24
1-1/4" x 1-1/4" x 2"	BMBT1401	GMBT1401	12	24
1-1/2" x 1-1/2" x 2"	BMBT1200	GMBT1200	10	20
2" x 2" x 2-1/2"	BMBT2000	GMBT2000	6	12

CROSS



1/8"	BMCR0018	GMCR0018	60	240
1/4"	BMCR0014	GMCR0014	60	240
3/8"	BMCR0038	GMCR0038	50	150
1/2"	BMCR0012	GMCR0012	30	90
3/4"	BMCR0034	GMCR0034	20	60
1"	BMCR0100	GMCR0100	15	30
1-1/4"	BMCR0114	GMCR0114	10	20
1-1/2"	BMCR0112	GMCR0112	8	16
2"	BMCR0200	GMCR0200	5	10
2-1/2"	BMCR0212	GMCR0212	3	6
3"	BMCR0300	GMCR0300	2	4
4"	BMCR0400	GMCR0400	1	2
6"	BMCR0600	GMCR0600	1	1

BANDED COUPLING



1/8"	BMCPL018	GMCPLO18	70	840
1/4"	BMCPL014	GMCPLO14	40	480
3/8"	BMCPL038	GMCPLO38	40	480
1/2"	BMCPL012	GMCPLO12	60	240
3/4"	BMCPL034	GMCPLO34	50	150
1"	BMCPL100	GMCPLO100	25	100
1-1/4"	BMCPL114	GMCPLO114	16	64
1-1/2"	BMCPL112	GMCPLO112	18	36

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

BANDED COUPLING - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
2"	BMCPL200	GMCP200	12	24
2-1/2"	BMCPL212	GMCP212	8	16
3"	BMCPL300	GMCP300	12	12
4"	BMCPL400	GMCP400	3	6
5"	BMCPL500	GMCP500	1	2
6"	BMCPL600	GMCP600	0	2

REDUCING COUPLING



1/4" x 1/8"	BMRC0140	GMRC0140	50	600
3/8" x 1/8"	BMRC0380	GMRC0380	35	420
3/8" x 1/4"	BMRC0381	GMRC0381	30	360
1/2" x 1/8"	BMRC0120	GMRC0120	75	300
1/2" x 1/4"	BMRC0121	GMRC0121	75	300
1/2" x 3/8"	BMRC0122	GMRC0122	60	240
3/4" x 1/8"	BMRC0340	GMRC0340	70	210
3/4" x 1/4"	BMRC0341	GMRC0341	45	180
3/4" x 3/8"	BMRC0342	GMRC0342	45	180
3/4" x 1/2"	BMRC0343	GMRC0343	60	180
1" x 1/4"	BMRC1000	GMRC1000	45	135
1" x 3/8"	BMRC1001	GMRC1001	30	120
1" x 1/2"	BMRC1002	GMRC1002	30	120
1" x 3/4"	BMRC1003	GMRC1003	25	100
1-1/4" x 3/8"	BMRC1140	GMRC1140	25	75
1-1/4" x 1/2"	BMRC1141	GMRC1141	25	75
1-1/4" x 3/4"	BMRC1142	GMRC1142	25	75
1-1/4" x 1"	BMRC1143	GMRC1143	15	60
1-1/2" x 3/8"	BMRC1120	GMRC1120	30	60
1-1/2" x 1/2"	BMRC1121	GMRC1121	20	60
1-1/2" x 3/4"	BMRC1122	GMRC1122	15	60
1-1/2" x 1"	BMRC1123	GMRC1123	25	50
1-1/2" x 1-1/4"	BMRC1124	GMRC1124	12	48
2" x 3/8"	BMRC2000	GMRC2000	12	36
2" x 1/2"	BMRC2001	GMRC2001	12	36
2" x 3/4"	BMRC2002	GMRC2002	12	36
2" x 1"	BMRC2003	GMRC2003	12	36
2" x 1-1/4"	BMRC2004	GMRC2004	9	27
2" x 1-1/2"	BMRC2005	GMRC2005	9	27

150LB MALLEABLE FITTINGS

- 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
- ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

REDUCING COUPLING - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
2-1/2" x 1/2"	BMRC2120	GMRC2120	10	20
2-1/2" x 3/4"	BMRC2121	GMRC2121	10	20
2-1/2" x 1"	BMRC2122	GMRC2122	10	20
2-1/2" x 1-1/4"	BMRC2123	GMRC2123	10	20
2-1/2" x 1-1/2"	BMRC2124	GMRC2124	7	14
2-1/2" x 2"	BMRC2125	GMRC2125	7	14
3" x 3/4"	BMRC3000	GMRC3000	7	14
3" x 1"	BMRC3001	GMRC3001	6	12
3" x 1-1/4"	BMRC3002	GMRC3002	6	12
3" x 1-1/2"	BMRC3003	GMRC3003	6	12
3" x 2"	BMRC3004	GMRC3004	6	12
3" x 2-1/2"	BMRC3005	GMRC3005	5	10
4" x 1"	BMRC4000	GMRC4000	3	6
4" x 1-1/4"	BMRC4001	GMRC4001	3	6
4" x 1-1/2"	BMRC4002	GMRC4002	3	6
4" x 2"	BMRC4003	GMRC4003	3	6
4" x 2-1/2"	BMRC4004	GMRC4004	3	6
4" x 3"	BMRC4005	GMRC4005	3	6
6" x 3"	BMRC6000	GMRC6000	1	2
6" x 4"	BMRC6001	GMRC6001	1	2

LEFT RIGHT COUPLING



1/2"	BMLR0012	GMLR0012	60	240
3/4"	BMLR0034	GMLR0034	50	150
1"	BMLR0100	GMLR0100	25	100
1-1/4"	BMLR0114	GMLR0114	16	64
1-1/2"	BMLR0112	GMLR0112	18	36
2"	BMLR0200	GMLR0200	12	24
2-1/2"	BMLR0212	GMLR0212	8	16
3"	BMLR0300	GMLR0300	6	12
4"	BMLR0400	GMLR0400	6	6

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000



UNION



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/8"	BMUN0018	GMUN0018	60	240
1/4"	BMUN0014	GMUN0014	20	240
3/8"	BMUN0038	GMUN0038	40	160
1/2"	BMUN0012	GMUN0012	50	100
3/4"	BMUN0034	GMUN0034	35	70
3/4" x 1/2"	BMUN3412	GMUN3412	1	1
1"	BMUN0100	GMUN0100	20	40
1-1/4"	BMUN0114	GMUN0114	15	30
1-1/2"	BMUN0112	GMUN0112	10	20
2"	BMUN0200	GMUN0200	6	12
2-1/2"	BMUN0212	GMUN0212	4	8
3"	BMUN0300	GMUN0300	4	8
4"	BMUN0400	GMUN0400	2	4



CAP



1/8"	BMCP0018	GMCP0018	120	1440
1/4"	BMCP0014	GMCP0014	80	960
3/8"	BMCP0038	GMCP0038	60	720
1/2"	BMCP0012	GMCP0012	75	300
3/4"	BMCP0034	GMCP0034	40	160
1"	BMCP0100	GMCP0100	25	100
1-1/4"	BMCP0114	GMCP0114	20	80
1-1/2"	BMCP0112	GMCP0112	18	54
2"	BMCP0200	GMCP0200	12	36
2-1/2"	BMCP0212	GMCP0212	20	40
3"	BMCP0300	GMCP0300	8	24
3-1/2"	BMCP0312	GMCP0312	6	12
4"	BMCP0400	GMCP0400	6	12
5"	BMCP0500	GMCP0500	5	10
6"	BMCP0600	GMCP0600	2	4

150LB MALLEABLE FITTINGS

- 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
- ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000

PLUG



SIZE	BLACK	GALVANIZED	INNER	MASTER
1/8"	BMPL0180	GMPL0180	300	3600
1/4"	BMPL0140	GMPL0140	150	1800
3/8"	BMPL0380	GMPL0380	120	1440
1/2"	BMPL0120	GMPL0120	50	600
3/4"	BMPL0340	GMPL0340	30	360
1"	BMPL1000	GMPL1000	20	240
1-1/4"	BMPL1140	GMPL1140	40	120
1-1/2"	BMPL1120	GMPL1120	30	90
2"	BMPL2000	GMPL2000	20	60
2-1/2"	BMPL2120	GMPL2120	16	32
3"	BMPL3000	GMPL3000	16	32
4"	BMPL4000	GMPL4000	6	12
5"	BMPL5000	GMPL5000	5	10
6"	BMPL6000	GMPL6000	10	10
1" SOLID	BMPL1000S	-	20	240

HEX BUSHING



1/4" x 1/8"	BMBU0140	GMBU0140	120	1440
3/8" x 1/8"	BMBU0380	GMBU0380	75	900
3/8" x 1/4"	BMBU0381	GMBU0381	75	900
1/2" x 1/8"	BMBU0120	GMBU0120	150	600
1/2" x 1/4"	BMBU0121	GMBU0121	150	600
1/2" x 3/8"	BMBU0122	GMBU0122	150	600
3/4" x 1/8"	BMBU0340	GMBU0340	75	300
3/4" x 1/4"	BMBU0341	GMBU0341	75	300
3/4" x 3/8"	BMBU0342	GMBU0342	75	300
3/4" x 1/2"	BMBU0343	GMBU0343	75	300
1" x 1/8"	BMBU1000	GMBU1000	50	200
1" x 1/4"	BMBU1001	GMBU1001	50	200
1" x 3/8"	BMBU1002	GMBU1002	50	200
1" x 1/2"	BMBU1003	GMBU1003	50	200
1" x 3/4"	BMBU1004	GMBU1004	50	200
1-1/4" x 1/8"	BMBU1140	GMBU1140	30	120
1-1/4" x 1/4"	BMBU1141	GMBU1141	30	120
1-1/4" x 3/8"	BMBU1142	GMBU1142	30	120
1-1/4" x 1/2"	BMBU1143	GMBU1143	30	120

150LB MALLEABLE FITTINGS

• 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
• ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000



HEX BUSHING - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
1-1/4" x 3/4"	BMBU1144	GMBU1144	30	120
1-1/4" x 1"	BMBU1145	GMBU1145	30	120
1-1/2" x 1/8"	BMBU1120	GMBU1120	25	75
1-1/2" x 1/4"	BMBU1121	GMBU1121	25	75
1-1/2" x 3/8"	BMBU1122	GMBU1122	25	75
1-1/2" x 1/2"	BMBU1123	GMBU1123	25	75
1-1/2" x 3/4"	BMBU1124	GMBU1124	25	75
1-1/2" x 1"	BMBU1125	GMBU1125	25	75
1-1/2" x 1-1/4"	BMBU1126	GMBU1126	25	75
2" x 1/4"	BMBU2000	GMBU2000	20	60
2" x 3/8"	BMBU2001	GMBU2001	20	60
2" x 1/2"	BMBU2002	GMBU2002	20	60
2" x 3/4"	BMBU2003	GMBU2003	20	60
2" x 1"	BMBU2004	GMBU2004	20	60
2" x 1-1/4"	BMBU2005	GMBU2005	20	60
2" x 1-1/2"	BMBU2006	GMBU2006	20	60
2-1/2" x 1/2"	BMBU2120	GMBU2120	15	30
2-1/2" x 3/4"	BMBU2121	GMBU2121	15	30
2-1/2" x 1"	BMBU2122	GMBU2122	15	30
2-1/2" x 1-1/4"	BMBU2123	GMBU2123	15	30
2-1/2" x 1-1/2"	BMBU2124	GMBU2124	15	30
2"-1/2" x 2"	BMBU2125	GMBU2125	15	30
3" x 3/4"	BMBU3000	GMBU3000	12	24
3" x 1"	BMBU3001	GMBU3001	12	24
3" x 1-1/4"	BMBU3002	GMBU3002	12	24
3" x 1-1/2"	BMBU3003	GMBU3003	12	24
3" x 2"	BMBU3004	GMBU3004	12	24
3" x 2-1/2"	BMBU3005	GMBU3005	12	24
3-1/2" x 1-1/2"	BMBU3120	GMBU3120	12	48
3-1/2" x 3"	BMBU3121	GMBU3121	8	16
4" x 3/4"	BMBU4000	GMBU4000	5	10
4" x 1"	BMBU4001	GMBU4001	5	10
4" x 1-1/4"	BMBU4002	GMBU4002	5	10
4" x 1-1/2"	BMBU4003	GMBU4003	5	10

150LB MALLEABLE FITTINGS

- 150 LB • Black and Galvanized • 1/8" - 6" Diameter • 100% Pressure Tested • ASTM A197
- ANSI/ASME B16.3 • ANSI/ASME B16.14 • UL/ULC and FM Approved • ISO 9001: 2000



HEX BUSHING - continued



SIZE	BLACK	GALVANIZED	INNER	MASTER
4" x 2"	BMBU4004	GMBU4004	5	10
4" x 2-1/2"	BMBU4005	GMBU4005	5	10
4" x 3"	BMBU4006	GMBU4006	5	10
4" x 3-1/2"	BMBU4007	GMBU4007	8	16
5" x 3"	BMBU5000	GMBU5000	2	4
5" x 4"	BMBU5001	GMBU5001	2	4
6" x 2"	BMBU6000	GMBU6000	2	4
6" x 3"	BMBU6001	GMBU6001	2	4
6" x 4"	BMBU6002	GMBU6002	2	4
6" x 5"	BMBU6003	GMBU6003	2	4



EXTENSION PIECE



1/2"	BMEP0012	GMEP0012	75	300
3/4"	BMEP0034	GMEP0034	40	160
1"	BMEP0100	GMEP0100	30	90
1-1/4"	BMEP0114	GMEP0114	30	60
1-1/2"	BMEP0112	GMEP0112	20	40
2"	BMEP0200	GMEP0200	15	30



FLOOR FLANGE WITH HOLES



1/8"	BMFL0018	GMFL0018	1	1
1/4"	BMFL0014	GMFL0014	30	90
3/8"	BMFL0038	GMFL0038	25	75
1/2"	BMFL0012	GMFL0012	25	50
3/4"	BMFL0034	GMFL0034	15	45
1"	BMFL0100	GMFL0100	15	30
1-1/4"	BMFL0114	GMFL0114	10	30
1-1/2"	BMFL0112	GMFL0112	8	24
2"	BMFL0200	GMFL0200	8	16