

ApolloPress 45° elbow (P x P)



group: 806 **category:** fittings **product line:** Apollo ApolloPress

The ApolloPress® 806 Small Diameter Press 45° Elbow features a lead free dezincification resistant copper body and an EPDM o-ring. ApolloPress® products are manufactured utilizing proven ASTM materials and standards.

- Lead Free Construction
- Leak Before Press® Technology

applications

potable water, heating, cooling,
steam, compressed air, sprinkler,
vacuum

segments

fire protection , utility , industry

approvals

CRN , FM , IAPMO/ANSI/CAN Z1117
, ICC LC1002 , NSF/ANSI 372 ,
NSF/ANSI 61 , UL , ULc

assortment

item code	size	dimensions	weight	packaging	gtin + upc
10077670	1/2"	1.52x2.14x0.95 "	0.09 lb	-	00683264776708
10077682	1/2"	-	0.09 lb	-	00683264776821
10075062	3/4"	1.91x2.62x1.24 "	0.16 lb	-	00683264750623
10077672	3/4"	-	0.16 lb	-	00683264776722
10077674	1"	-	0.16 lb	-	00191988101572
10075090	1 1/4"	2.69x3.62x1.75 "	0.34 lb	-	00683264750906
10075092	1 1/2"	3.16x4.20x2.09 "	0.59 lb	-	00683264750920
10077654	1 1/2"	-	0.59 lb	-	00191988107796
10075094	2"	3.73x5.13x2.58 "	0.92 lb	-	00683264750944
10077656	2"	-	0.92 lb	-	00191988107833

specifications - characteristics

color	copper
materials	copper (CW024A (UNS C12200))
finishing	none
shape	Elbow (45°)
connection type	press (V)
sealing	EPDM

specifications - general


product group	ittings
ETIM class	EC003024 Fitting with 2 connections
brand	Apollo
series	ApolloPress
product type	806
unsps	40172812

specifications - technical

max operating pressure liquid	300 psi
min. medium temperature	32 °F
max medium temperature	250 °F

dimensions

item code	size	d1	DN1	l1	z1	d2	DN2	l2	z2	radius	angle
10077670	1/2"	0.63	1/2"	1.06	0.31	0.63	1/2"	1.06	0.31	0.75	45
10077682	1/2"	0.63	1/2"	1.09	0.28	0.63	1/2"	1.09	0.28	0.75	45
10075062	3/4"	0.88	3/4"	1.34	0.43	0.88	3/4"	1.34	0.43	1.05	45
10077672	3/4"	0.88	3/4"	1.29	0.38	0.88	3/4"	1.29	0.38	1.05	45
10077674	1"	1.13	1"	1.45	0.53	1.13	1"	1.45	0.53	1.35	45
10075090	1 1/4"	1.38	1- 1/4"	1.71	0.68	1.38	1- 1/4"	1.71	0.68	1.65	45
10075092	1 1/2"	1.63	1- 1/2"	2.24	0.81	1.63	1- 1/2"	2.24	0.81	1.95	45
10077654	1 1/2"	1.63	1- 1/2"	2.09	0.78	1.63	1- 1/2"	2.09	0.78	1.95	45
10075094	2"	2.13	2"	2.64	1.06	2.13	2"	2.64	1.06	2.55	45
10077656	2"	2.13	2"	2.36	0.75	2.13	2"	2.36	0.75	2.55	45



downloads

⬇ 806 - jpg

⬇ ApolloPress Catalog - pdf

⬇ Diagram - png

⬇ ApolloPress Brochure - pdf